

UP

Spreaders

Reach Stackers



New ways to advance without pause, **step by step...**

SPREADERS for Reach Stacker



Uplifting spreaders for different types of Reach Stackers

TSUP 245-A

Telescopic Spreader for laden containers, CH

Telescopic Spreader for laden containers from 20 to 45 feet long. It is suitable for Container Handling (CH) Reach Stackers whose load capacity are 45 tonnes.

_ Uplifting model	TSUP 245-A
_ Classification	DIN 15018, H2B4
_ Load capacity	45 t
_ Weight	8950 kg
_ Hooks' capacity	4x10t
_ Telescoped pieces	20-30-40-43-45'
_ Twistlocks	ISO oscillating
_ Rotation	+185°, -105°
_ Transverse oscillation	+/-4°
_ Side-shift	+/-800 mm
_ Telescoping time 20-45'	14 seconds





TSUP 245-B

Telescopic Spreader for laden containers, IH

Telescopic Spreader for laden containers from 20 to 45 feet long. It is suitable for Intermodal Handling (IH) Reach Stackers whose load capacity are 45 tonnes.

_ Uplifting model	TSUP 245-B
_ Classification	DIN 15018, H2B4
_ Load capacity	45 t
_ Weight	11 950 kg
_ Hooks' capacity	4x10t
_ Telescoped pieces	20-30-40-43-45'
_ Twistlocks	ISO oscillating
_ Rotation	+185°, -105°
_ Transverse oscillation	+/-4°
_ Side-shift	+/-800 mm
_ Telescoping time 20-45'	14 seconds
_ Integrated piggy-back	






TSEUP 24-A

Telescopic Spreader for empty containers.



Telescopic Spreader for empty containers from 20 to 40 feet long. It is suitable for Reach Stackers whose load capacity are 10 tonnes.

_ Uplifting model	TSEUP 24-A
_ Classification	DIN 15018, H2B4
_ Load capacity	10 t
_ Weight	5400 kg
_ Hooks' capacity	4 x 2.5 t
_ Telescoped pieces	20-30-40 feet
_ Twistlocks	ISO oscillating
_ Rotation	+185°, -95°
_ Transverse oscillation	+/-4°
_ Side-shift	+/-800 mm
_ Telescoping time 20-40'	11 seconds



MACHINERY RANGE

Reach stackers

- _ Loads from 10 to 90 t



General load Lift Trucks

- _ Light duty range from 8 to 15 t
- _ Medium duty range from 16 to 25 t
- _ Heavy duty range from 28 to 60 t



Lift Trucks for containers

- _ For laden containers from 32 to 50 t
- _ For unladen containers from 3 to 8 heights
- _ Containers standard handling
- _ Containers longitudinal handling



Spreaders

- _ Telescopic from 20 to 45'
- _ Fixed
- _ Intermodal handling (Piggy- back)



UP LIFTING VERTICAL, S.A.

Ronda de la Industria, Parc 151, Pol. Sepes, 22006
Huesca
Tel. 974 229 832 Fax. 974 242 481
uplifting@gaypu.com

www.uplifting.es

9-4600E-01-14-001-0